

benithem®  
*Let our Quality do the Talking...*

**Benithem Sdn. Bhd.**

PTD 10710, Jln Kg Air Putih, Jalan Sawah,  
Mukim Jeram Batu, 81500 Pekan Nanas,  
Pontian, Johor, West Malaysia.

**T** : 607 - 699 6668

**F** : 607 - 699 6886

**E** : sales@benithem.com

www.benithem.com

\* Benithem® reserves the rights to change the specifications without prior notification.

\* Benithem® products are manufactured under strict quality controls by Benithem Sdn Bhd, recipient of the ISO 9001 : 2015 quality assurance certification and ISO 14001 : 2015 environmental certification.



# body Lite




body Lite



body Lite





**2. MESH BACKREST**  
The mesh type backrest promotes greater ventilation and free airflow to the skin while the contoured shape provides superior comfort.

**7. 4D ADJUSTABLE ARM (A53)**  
The 4D arms are available with the functions of height adjustments up to 100mm, and expansion up to 25mm. The arm pad can adjust forward or backward up to 50mm, and rotate 12° degree in or out to 4 position.

**8. 2D ADJUSTABLE ARM (A51)**  
The 2D arms are available with the functions of height adjustments up to 100mm. and inward or outward up to 25mm.

**9. FIXED ARM (F43)**  
'T' shape moulded polypropylene armrest with arm expand up to 25mm.

**6. SEAT DEPTH ADJUSTMENTS**  
With the function of a sliding seat, the depth of the seat can also be adjusted up to a measurement of 70mm.

**SEAT HEIGHT ADJUSTMENT**  
The 90mm Class 4 pneumatic adjustable gas lift allows users to sit at the correct height to the desk.

**10. SLEEK ALUMINIUM BASE OR NYLON BASE**  
Solid, safe and stable 5 pronged sleek aluminium or nylon base provides strong stability.

**1. ADJUSTABLE HEADREST**  
The height adjustable headrest allows angle and height adjustments, giving comfort and support to neck and head at the any seating position.

**3. ADJUSTABLE LUMBER SUPPORT**  
Artfully designed moulded polypropylene backrest can be arched to create an excellent support for the back. The lumbar and disperse overall pressure on the spine discs, allowing ergonomic comfort and stability. The lumbar is made from a unique flexible material, allowing maximum elasticity for the lumbar. The lumbar also has an adjustable height of 50mm to meet your physical needs.

**4. PU MOULDED SEAT FOAM**  
High density polyurethane moulded foam comes with fire retardant feature, gives the seat flexibility for user comfort, provides great support and best comfort even for long seating hours.

**5. SYNCHRON 5 LOCKING WITH SIDE TENSION MECHANISM**  
The 21° degree siting mechanism come with side tension adjust mechanism and 5 position locking.

**11. NYLON CASTORS**  
60mm nylon dual-wheel castors are designed for easy manoeuvring.



**M22L-1-A53M48B20**

Chair Height : 1180-1270 mm  
Chair Depth : 720 mm  
Chair Width : 655-705 mm  
Seat Height : 430-520 mm  
Seat Depth : 460-530 mm  
Seat Width : 500 mm



**M22L-2-A53M48B20**

Chair Height : 980-1070 mm  
Chair Depth : 650 mm  
Chair Width : 655-705 mm  
Seat Height : 430-520 mm  
Seat Depth : 460-530 mm  
Seat Width : 500 mm



**B5-4L-S**

Chair Height : 870 mm  
Chair Depth : 640 mm  
Chair Width : 640 mm  
Seat Height : 470 mm  
Seat Depth : 480 mm  
Seat Width : 470 mm



**M22L-1-A51M48B15**

Chair Height : 1180-1270 mm  
Chair Depth : 720 mm  
Chair Width : 655-705 mm  
Seat Height : 430-520 mm  
Seat Depth : 460-530 mm  
Seat Width : 500 mm




**M22L-2-A51M48B15**

Chair Height : 980-1070 mm  
Chair Depth : 650 mm  
Chair Width : 655-705 mm  
Seat Height : 430-520 mm  
Seat Depth : 460-530 mm  
Seat Width : 500 mm



**B5-4L-E**

Chair Height : 870 mm  
Chair Depth : 640 mm  
Chair Width : 640 mm  
Seat Height : 470 mm  
Seat Depth : 480 mm  
Seat Width : 470 mm



**M22L-1-F43M48B15**

Chair Height : 1180-1270 mm  
Chair Depth : 720 mm  
Chair Width : 655-705 mm  
Seat Height : 430-520 mm  
Seat Depth : 460-530 mm  
Seat Width : 500 mm



**M22L-2-F43M48B15**

Chair Height : 980-1070 mm  
Chair Depth : 650 mm  
Chair Width : 655-705 mm  
Seat Height : 430-520 mm  
Seat Depth : 460-530 mm  
Seat Width : 500 mm